

## **آموزش ساخت وب سرور و ftpسرور در شبکه های محلی**

## کاری دیگر از فرشید باباجانی

شرو کار:

برای ساخت وب سرور و ftp سرور اول باید سرویس iis را فعال کنیم برای این کار به مسیر زیر می رویم.

## Start >> Control Panel >> Add or Remove Programs

طبق شکل زیر عمل کنید و گزینه مورد نظر را انتخاب کنید.



Subcomponents of Application	n Server: K		-
🔲 🚡 Application Server Co	nsole	0.0 MB 🔼	1
🗆 🍓 ASP.NET		0.0 MB	
🛛 🗹 👰 Enable network COM-	+ access	0.0 MB	
🛛 🗹 📸 Enable network DTC -	access	0.0 MB	
Different Information Se	ervices (IIS)	18.1 MB	
Message Queuing		6.5 MB	
		<u>.</u>	
Description: Microsoft Mana administrative in	agement Console Snap-in fo nterface.	r the Application Server	
Total disk space required:	3.6 MB	Details	1
Space available on disk:	1930.8 MB		
	ſ	OK Cancel	1
	L		
کنید ، که شکل زیر ظاہ	ی آن دو بار کلیک	، مورد نظر را زده و بر رو	الا تیک گزینه
کنید ، که شکل زیر ظاہ Internet Information Servi	ی آن دو بار کلیک ices (115)	، مورد نظر را زده و بر رو [	الا تیک گزینه الا
کنید ، که شکل زیر ظام Internet Information Servi To add or remove a compone of the component will be insta	وی آن دو بار کلیک i <mark>ces (II5)</mark> nt, click the check box. A s lled. To see what's included	، مورد نظر را زدہ و بر رو [ haded box means that only part d in a component, click Details.	الا تیک گزینه الا
کنید ، که شکل زیر ظام Internet Information Servi To add or remove a compone of the component will be insta Sub <u>c</u> omponents of Internet In	وی آن دو بار کلیک i <mark>ces (IIS)</mark> nt, click the check box. A s lled. To see what's included formation Services (IIS):	، مورد نظر را زده و بر رو ی haded box means that only part d in a component, click Details.	الا تیک گزینه ا
کنید ، که شکل زیر ظار Internet Information Servi To add or remove a compone of the component will be insta Sub <u>c</u> omponents of Internet In Background Intelligen	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): it Transfer Service (BITS) S	مورد نظر را زده و بر رو مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB	الا تیک گزینه الا
کنید ، که شکل زیر ظام Internet Information Servi To add or remove a compone of the component will be insta Subcomponents of Internet In Background Intelligen Common Files	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): t Transfer Service (BITS) S	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB	الا تیک گزینه ا
کنید ، که شکل زیر ظار Internet Information Servi To add or remove a compone of the component will be insta Subcomponents of Internet In Subcomponents of Internet In Background Intelligen Common Files	وی آن دو بار کلیک <sup>ا</sup> i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): t Transfer Service (BITS) S (FTP) Service	مورد نظر را زده و بر رو ا haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 0.1 MB	الا تیک گزینه ا×
کنید ، که شکل زیر ظار Internet Information Servi To add or remove a compone of the component will be insta Subcomponents of Internet In Background Intelligen Dommon Files File Transfer Protocol	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): It Transfer Service (BITS) S (FTP) Service er Extensions	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 0.1 MB 5.1 MB	الا تیک گزینه ا×
کنید ، که شکل زیر ظار Internet Information Servi To add or remove a compone of the component will be insta Subcomponents of Internet In Background Intelligen Common Files File Transfer Protocol Servi FrontPage 2002 Servi Internet Information Servi	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): tt Transfer Service (BITS) S (FTP) Service er Extensions ervices Manager	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 1.0 MB 5.1 MB 5.1 MB 1.3 MB	الا تیک گزینه ∡
کنید ، که شکل زیر ظام <b>Internet Information Servi</b> To add or remove a compone of the component will be insta Subcomponents of Internet In Background Intelligen Common Files File Transfer Protocol Signa frontPage 2002 Serve Internet Information Se Internet Printing	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): it Transfer Service (BITS) S (FTP) Service er Extensions ervices Manager	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 5.1 MB 5.1 MB 1.3 MB 0.0 MB	الا تیک گزینه ا×
کنید ، که شکل زیر ظاه <b>Internet Information Servi</b> To add or remove a compone of the component will be insta Subcomponents of Internet In Background Intelligen Common Files File Transfer Protocol Structure File Transfer Protocol Signature File Transfer Protocol Signature File Transfer Protocol Signature File Transfer Protocol Signature Signatu	وی آن دو بار کلیک آ i <b>ces (IIS)</b> nt, click the check box. A s lled. To see what's included formation Services (IIS): t Transfer Service (BITS) S (FTP) Service er Extensions ervices Manager	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 5.1 MB 1.3 MB 1.3 MB 0.0 MB 1.2 MB	الا تیک گزینه ∡
کنید ، که شکل زیر ظام Internet Information Servi To add or remove a compone of the component will be instal Subcomponents of Internet In Background Intelligen Common Files File Transfer Protocol Common Files File Transfer Protocol File Transfer Protocol Sinternet Information Sc Sinternet Printing NNTP Service Description: Provides suppor	وی آن دو بار کلیک آ ices (IIS) nt, click the check box. A s lled. To see what's included formation Services (IIS): It Transfer Service (BITS) S (FTP) Service er Extensions ervices Manager ort to create FTP sites used	مورد نظر را زده و بر رو haded box means that only part d in a component, click Details. erver Extensions 0.2 MB 1.0 MB 5.1 MB 1.3 MB 0.0 MB 1.2 MB ▼ to upload and download files.	الا تيک گزينه ا≍

در شکل بالا تیک گزینه مورد نظر را زده و بر روی ok کلیک کنید دوباره هم بر روی ok کلیک کرده وبر روی <next کلیک کنید در این لحظه باید سی دی ویندوز (مثلا در اینجا windows server 2003 ) را درون درایو قرار داده تا عملیات نصب اجرا شود.

Vindows Com	ponents Wizard				×	
Configuring Setup is	g Components making the configu	ration changes you re	equested.		Ċ	
6	Please wait while several minutes, d	Setup configures the lepending on the con	components. This nponents selected.	may take		
Status:	Copying files					
		< <u>B</u> ack <u>N</u>	ext > Ca	ncel H	elp	
رديد .	iis را نصب ک	لا شما سرویس	ک کنید . حاا	finish کلی	ىب بر روى	. از پایان نص
				زير رفته	ii به مسير	ی اجرای S

Start >> Control Panel >> Administrative Tools >> Internet Information Services(IIS) Manager

Internet Information Services (IIS) Manager					
〕 Eile Action Yiew Window Help					
🗢 🔿 🗈 💽 😭 🗟					
Internet Information Services FARSHID-M332 (local comp FARSHID-M332 (local comp Application Pools Web Sites Web Sites FTP Sites FTP Sites	Description Default Web Site	Identifier 1	State Running	Host header value I	
٩ ا	•			F	

حالا برای ساخت وب سایت در شبکه کارهای زیر را طبق شکل انجام دهید.

🐌 Internet Information Services (IIS) Manager					
← → 🗈 🖬 😭 💀	,   😫   💂   🕨 🔳 💷				
Internet Information Services	Description	Identifier	State	Host header value I	
E-W FARSHID-M332 (local comp F-C Application Pools	👮 Default Web Site	1	Running	*	
E Sites					
⊕ 🔮 <u>N</u> ew     Ne All Tasks	► <u>W</u> eb Site				
	, web <u>bice</u> (nominie)				
New Window from	m Here				
Export List					
Properties					
Help					
	<b> </b> •			<u> </u>	
Create new Web site					



(sam		
Web Site Creation Wizard		×
Web Site Desciption Describe the Web site to help administr	ators identify it.	
Type a description of the Web site.		
Description:		
samanod.tk		
	< <u>B</u> ack <u>N</u> ext >	Cancel
ود را انتخاب کنید در قسمت دو	E ، ای پی کامپیوتر خ	nter the ip
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در	E ، ای پی کامپیوتر خ است و در قسمت سوم	nter the ip یش فرض ۸۰ کلیک کنید.
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در Web Site Creation Wizard	E ، ای پی کامپیوتر خ است و در قسمت سوم	nter the ip یش فرض ۸۰ کلیک کنید.
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در Web Site Creation Wizard IP Address and Port Settings Specify an IP address, port setting, and	E ، ای پی کامپیوتر خ است و در قسمت سوم host header for the new Web sit	nter the ip یش فرض ۸۰ کلیک کنید. •
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در Web Site Creation Wizard IP Address and Port Settings Specify an IP address, port setting, and Enter the IP address to use for this We 192.168.2.2	E ، ای پی کامپیوتر خ است و در قسمت سوم d host header for the new Web sit	nter the ip یش فرض ۸۰ کلیک کنید. ه
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در <b>Web Site Creation Wizard</b> <b>IP Address and Port Settings</b> Specify an IP address, port setting, and <u>Enter the IP address to use for this Web</u> [192.168.2.2 <u>ICP port this Web site should use (De</u> 80	E ، ای پی کامپیوتر خ است و در قسمت سوم d host header for the new Web site b site:	nter the ip یش فرض ۸۰ کلیک کنید. ه.
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در <b>Web Site Creation Wizard</b> <b>IP Address and Port Settings</b> Specify an IP address, port setting, and <u>Enter the IP address to use for this Web</u> 192.168.2.2 <u>ICP port this Web site should use (De</u> 80 <u>Host header for this Web site (Default:</u>	E ، ای پی کامپیوتر خ است و در قسمت سوم d host header for the new Web sit b site: fault: 80):	nter the ip یش فرض ۸۰ کلیک کنید. ه
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در <b>Web Site Creation Wizard</b> <b>IP Address and Port Settings</b> Specify an IP address, port setting, and Enter the IP address to use for this We 192.168.2.2 <u>ICP port this Web site should use (De</u> 80 <u>Host header for this Web site (Default:</u>	E ، ای پی کامپیوتر خ است و در قسمت سوم d host header for the new Web sit b site: fault: 80):	nter the ip یش فرض ۸۰ کلیک کنید. ه
ود را انتخاب کنید در قسمت دو چیزی فعلا قرار ندهید چون در <b>Web Site Creation Wizard</b> <b>IP Address and Port Settings</b> Specify an IP address, port setting, and Enter the IP address to use for this We [192.168.2.2 <u>ICP port this Web site should use (Default:</u> 80 <u>Host header for this Web site (Default:</u> For more information, read the IIS prod	E ، ای پی کامپیوتر خ است و در قسمت سوم d host header for the new Web site fault: 80): <u>ا</u> None): م uct documentation.	nter the ip یش فرض ۸۰ کلیک کنید. ه





? × Documents **Directory Security HTTP Headers** Custom Errors Web Site Performance ISAPI Filters Home Directory Web site identification Description: samancd.tk IP address: 192.168.2.2 • Advanced.... 80 TCP port: SSL port: Connections Connection timeout: 120 seconds Enable HTTP Keep-Alives Enable logging Active log format: Properties... W3C Extended Log File Format Ŧ OK Cancel Help

در این شکل باید برای اینکه وقتی ای پی سایت خود را (۱۹۲.۱۶۸.۲.۲) وارد internet explorer می کنیم صفحه اول سایت ما به صورت خود کار نمایش داده شود. برای این کار طبق شکل بر روی گزینه مفحه Documents کلیک کیندکه شکل صفحه بعد ظاهر می شود.

حالا وب سایت مورد نظر ایجا شده و طبق شکل بر روی آن راست کلیک کنید و گزینه propreties را انتخا ب کنید.

samancd.tk Prop	erties		<u>? ×</u>
Web Site	Performance	ISAPI Filters	Home Directory
Documents	Directory Security	HTTP Headers	Custom Errors
For Enable de	efault <u>c</u> ontent page	A	dd
	Move <u>Up</u>	Mo <u>v</u> e Down	
Enable dg	cument footer		
Append a server rel	n HTML formatted footer to turns.	o every document your	Web
Γ		Bro	wse
	ОК	Cancel <u>App</u>	y Help

کنید . تا شکل زیر ظاهر شود.
Add Content Page
index.htm
OK Cancel
در این شکل اسم صفحه اصلی خود را
وارد کنید (مثلا index.htm) بعد از
وارد کردن بر روی ok کلیک کنید تا
اسم ثبت شود .
فعلا در این مرحله کار به اتمام رسیده
است بر روی ok کلیک کنید.

در این قسمت بر روی Add کلیک

- 🗆 × Internet Information Services (IIS) Manager \_ 8 × 🧃 <u>F</u>ile <u>A</u>ction <u>V</u>iew <u>W</u>indow <u>H</u>elp ⇔ → 🗈 🖪 🗙 😭 🕼 🖧 😫 👢 🔪 = 🗉 Path Internet Information Services Name Status 剩 FARSHID-M332 (local compute index.htm 🗄 🍎 FTP Sites 🗄 🍎 Application Pools 🖻 질 Web Sites Default Web Site 🗄 🎒 Web Service Extensions <u>.</u>

در این شکل باید دکمه استارت سایت که بر روی شکل نشان داده شده است زده شده باشد(بر روی آن کلیک کنید)

حالا سایت آماده اجرا است و می توان آن را با ای پی در اینترنت اکسپلور اجرا کرد .

ر شکل زیر مشاهده می کنید با دادن ای پی ۱۹۲.۱۶۸.۲.۲ در اکسپلور صفحه سایت ما به راحتی	همانطور که در
ر مد	به نمایش در آ
🗿 Welcome - Microsoft Internet Explorer	
Eile Edit View Favorites Iools Help	

dress 🧃 http://192.168.2.2/	🗾 🄁 Go 🛛 Links
	<u> </u>
<u>http://www.samancd.tk</u>	
<u>ittp://www.samancd.tk</u>	
nttp://www.samaned.tk	
ttp://www.samancd.tk	
ttp://www.samancd.tk	
tip ://www.saman.cd.tk	
	<b>•</b>
· · · · · · · · · · · · · · · · · · ·	

تا این اینجا فقط توانستیم سایت خود را با ای پی(IP) اجرا کنیم ولی حالا می خواهیم سایت را بصورت یک اسم مثل \_\_\_\_\_\_ اجرا کنیم برای این کار موارد زیر را انجام دهید.

در آغاز این کار باید سرویس دی ان اس DNS را نصب کنید برای این کار به مسیر زیر رفته :

Start >> Control Panel >> Add or Remove Programs

طبق شکل زیر عمل کنید و گزینه مورد نظر را انتخاب کنید.

or Remove Programs		
Currently installed programs:	Sort by: Name	•
e or 📲 Remote Administration Tool	<b>Is</b> Size	<u>9.27MB</u>
ams Click here for support information	<u>n.</u> Used	<u>rarely</u>
To remove this program from you	r computer, click Remove.	Remove
ew 🎯 WinPcap 4.1.2	Size	0.23MB
Wireshark 1.4.2	Size	82.64MB
move ws hents کزینه کلیک کنید	بر روی این	

در شکل ۱ بر روی گزینه مورد نظر دو بار کلیک کنید و شکل ۲ ظاهر می شود که گزینه اول را تیک زده و بر روی OK کلیک کنید ، و بر روی NEXT کلیک کنید تا شروع به نصب کند فقط سی دی ویندوز را درون درايو قرار دهيد.



بعد از نصب DNS سرور به مسیر زیر می رویم تا DNSسرور را اجراکنیم.

Start >> Control Panel >> Administrative Tools >> Dns

ansmgmt - [DNS\F	FARSHID-M332\Forward I	ookup Zones j		سکل روربرو طاهر می سود
A File Action View	w <u>wi</u> ndow <u>H</u> eip		_ 비 즈	
	3 3 1			بر روی گزینه مورد نظر
🚊 DNS	Forward L	ookup Zones		
FARSHID-M332	kup Zopes			کلیک راست کنید گزینه
🕀 🛄 Reverse L(	New Zone	Add a New Zone		
😟 💼 Event View	View V	ain Name System (DNS) allows a DNS namespace to be divided in		ا انتخاب, New Zone
_	New <u>W</u> indow from Here	ach zone stores information about one or more contiguous DNS	.0	
	Refresh			کنید .
	Help	new zone, on the Action menu, click New Zone.		**
		-		
Create a new zone.				

New Zone Wizard				×
	Welcom Wizard This wizard he server. A zone transla addresses or r To continue, c	e to the f	New Zone new zone for you to related data, se	ır DNS uch as IP
	< <u>B</u> ack	Next >	Cancel	Help
New Zone Wizard Zone Type The DNS server supports	various types o	f zones and sto	rage.	×
Creates a copy of a zero Creates a copy of a zero (SOA), and possibly great authoritative for that Store the zone in <u>A</u> ctive	one that can be one that exists ( f primary server one containing o lue Host (A) rec zone, ve Directory (av	updated directl on another serv s and provides f nly Name Serve ords. A server o ailable only if DI	y on this server. er. This option he ault tolerance. r (NS), Start of A ontaining a stub a NS server is a don	lps balance uthority cone is not nain controller)
	< <u>B</u> ack	<u>N</u> ext >	Cancel	Help
New Zone Wizard				X
Active Directory Zone Rep You can select how you v	plication Scop vant DNS data re	e eplicated throug	hout your networ	ĸ.
Select how you want zon To all DNS servers in t To all <u>D</u> NS servers in t To all <u>D</u> NS servers in t	e data replicated the Active Direct the Active Direct	l: ory forest sama ory domain sam Directory domai	n.com an.com	
Choose this option if I	the zone should	be loaded by W	indows 2000 DNS	servers
<ul> <li>To all domain controlls partition;</li> </ul>	ers specified in t	ne scope of the	following applicati	on directory
				7
		1		
	< <u>B</u> ack	<u>N</u> ext >	Cancel	Help

New Zone Wizard	×	L	
<b>Zone Name</b> What is the name of the new zone?		لايت خود را وارد	در این قسمت باید نام س
The zone name specifies the portion of the DNS namespace for which this authoritative. It might be your organization's domain name (for example, or a portion of the domain name (for example, newzone.microsoft.com). I not the name of the DNS server.		کنید(samancd.tk)	
Zone name:			
samancd.tk			
For more information about zone names, click Help.			
<b>\</b>		_	
< <u>B</u> ack Next > Cancel	Help		
New Zone Wizard	2	(	
<b>Dynamic Update</b> You can specify that this DNS zone accepts secure, nonsecure, or no dyn undates	namic 🛐		ī
		را انتخاب می	در این شکل گزینه اخر
Dynamic updates enable DNS client computers to register and dynamically resource records with a DNS server whenever changes occur.	Dynamic updates enable DNS client computers to register and dynamically update their resource records with a DNS server whenever changes occur.		
Select the type of dynamic updates you want to allow:		vic cicfin	ieh
O Allow only secure dynamic updates (recommended for Active Directory This option is available only for Active Directory-integrated zones.	у)	ااا کلیک کلید.	صفحه بعد بر روی ۱۵۱۱
C Allow both nonsecure and secure dynamic updates			
Dynamic updates of resource records are accepted from any client.			
This option is a significant security vulnerability because update accepted from untrusted sources.	es can be		
© Do not allow dynamic updates			
Dynamic updates of resource records are not accepted by this zone. Y these records manually.	You must update		
< Back Next > Cancel	l Help		
. East Town			
A Jacobie CONC) PARCUTE M020/ Formand Lasting 7-2-2-1			
Cile Action View Window Help			
			اسم سایت ما ایجاد
DNS Earward Lookup Zones 1 zone(s)			
FARSHID-M332	Туре	Status	شده است بر روی اسم
Here Forward Lookup Zones	Active Direct	Running	<i>,</i> , <i>,</i> , , , , , , , , , , , , , , ,
🗄 📲 Event Viewer			سایت دو بار کلیک
			کنید میده شکل بود
			للينا و به سال بله
			توجه كنيد
			-
,			

Ansmant - IDNS) FARSHID-M332	Forward Lookup Zopes samapo	d Hz I	
Eile Action View Window H	yr or war a cook ap zones ysaniane.	u.ckj	
🚊 DNS	samancd.tk 2 record(s)		
E- FARSHID-M332	Name	Туре	Data
	<ul> <li>(same as parent folder)</li> <li>(same as parent folder)</li> </ul>	Start of Authority (SOA) Name Server (NS)	[1], farshid-m332.sa farshid-m332.saman
E - fer Event Viewer		Update Se R <u>e</u> load	erver Data File
		New Ho <u>s</u> t New <u>A</u> lias New Mail B	(A) (CNAME).
		New Doma	ain
		New Deleg	lation
		Other Nev	v Re <u>c</u> oras
		All Tas <u>k</u> s	
		Re <u>f</u> resh	
		Export List	t
Create a new bost resource record.			+
		Arrange Io	ions 🕨
		Lin <u>e</u> up Ico	ons
		Properties	
		Help	

در این شکل در قسمت مورد نظر کلیک راست کردہ و گزینه مورد نظر را انتخاب كنيد



تا این قسمت ما توانستیم اسم سایت خود را در Dns سرور ایجاد کنیم حالا دوباره به مسیر زیر می رویم.

Start >> Control Panel >> Administrative Tools >> Internet Information Services(IIS) Manager

بر روی سایتی که ساختیم کلید راست کرده و گزینه آخر را انتخاب می کنیم.

samancd.tk Prope	rties	×
Documents	Directory Security   HTTP Headers   Custom Errors Performance   ISAPI Filters   Home Directory	
Web site identif Description: IP address: ICP port:	samancd.tk 192.168.2.2  Advanced  80  SSL port:	
Connections Connection tim	eout: 120 seconds P <u>K</u> eep-Alives	
Acti <u>v</u> e log fo W3C Extend	ing rmat: Jed Log File Format <u>P</u> roperties	
	OK Cancel <u>A</u> pply Help	

بر روی گزینه مورد نظر کلیک کنید.

	_			
Advanced Web Site Identification				
Multiple identities for this Web site				
IP address         ILP port         Host header value           192.168.2.2         80	بر روی Add کلیک کنید تا شکل زیر ظاهر شود.			
	Add/Edit Web Site Identification			
Add <u>R</u> emove <u>Edit</u>	Identification IP address: 192.168.2.2			
Mgltiple SSL identities for this Web site	TCP port: 80			
IP address SSL port	Host Header value: www.samancd.tk			
Add Remove Edit				
OK Cancel <u>H</u> elp	طبق شکل عمل کنید و ای پی و پورت و در قسمت			
C کلیک کنید و کار در اینجا به پایان رسیده است حالا	خر را وارد کنید . بروی k			
را وارد کنید. شکل زیر ظاهر می شود.	ینترنت اکسپلور را اجرا کرده و آدرس			
🖓 Welcome - Microsoft Internet Explorer				
Eile Edit View Favorites Iools Help				
🌀 Back 🔹 🕥 👻 😰 🔥 🔎 Search 🛭 👷 Favorites 🚳 Media 🛛 😥	)• 💺 🖻			
Address Addres	Go Links			
http://www.samancd.tk				
http://www.samancd.fk				
i Done	Internet //			
، سایت خود را اجرا کنیم.	حالا می توان هم به صورت ای پی و هم به صورت اسم			
وجه: برای ساخت چند سایت مختلف فقط باید پورت مورد نظر را تغییر دهید در هر سایت مثلا در این سای				
بد بمنت آند با ۸۱ قرار دهند.	میت ۸۰ بود ول در سایت دیگری که میخواهید بساز			
ین پورک ای را ۲۰۰ کرار عمین.	پورت ۲۰۰۰ بود ولی در سایت دیگری د. سی تراسید بسار			
A 4				



## ساخت FTP سرور:

به مسر زیر رفته

Start >> Control Panel >> Administrative Tools >> Internet Information Services(IIS) Manager





در صفحه ای که باز می شود بر رروی Next کلیک کنید ودر این صفحه روبرو که باز می شود <u>ftp.samancd.tk</u> را وارد کنید و بر روی Next کلیک کنید.

success and more Settings Specify an IP address and port setting for			
aureary affile aururess and norr serring re-	v the ETP site		J
epecay and address and port solling to	n trie FTF site.		6
Enter the IP address to use for this FTP :	site:		
192.168.2.2	-		
Turne Was TCD and for this ETD site (Date)			
Type the TCP port for this FTP site (Dera	auit = ∠1):		
21			
			_
	< <u>B</u> ack	<u>N</u> ext>	Cance
Site Creation Wizard			
P liser isolation			
Bestrict FTP users to their own FTP hon	ne directory.		Ž
FTP user isolation prevents users from a	ccessing the FTF	<sup>o</sup> home directory o	of another
user on this FTP site.			
Important: Because you cannot change	the user isolation	option after creal	ting this FTP
site, you should read about FTP user iso choosing an isolation option	ilation in the IIS p	roduct documenta	ation before
choosing an isolaton option.			
Do not isolate users			
(Users can access the FTP home di	rectory of other u	sers.]	
C Joolate users			
<ul> <li>Isolate users</li> <li>(Users must be assigned an FTP hore</li> </ul>	me directory withi	n the root of this F	TP site.)
C Isolate users (Users must be assigned an FTP hor	me directory withi	n the root of this F	TP site.)
<ul> <li>☐ Isolate users (Users must be assigned an FTP hor</li> <li>☐ Isolate users using Active Directory</li> </ul>	me directory within	n the root of this F	TP site.)
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account 1</li> </ul>	me directory within me directory that i	n the root of this F is configured usin	TP site.) g their Active
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor (Users must be assigned an FTP hor Directory user account.)</li> </ul>	me directory within me directory that i	n the root of this F is configured usin	TP site.) g their Active
<ul> <li>Isolate users (Users must be assigned an FTP hot Isolate users using <u>Active Directory</u> (Users must be assigned an FTP hot Directory user account.)</li> </ul>	me directory within me directory that i	n the root of this F	TP site.) g their Active
<ul> <li>Isolate users (Users must be assigned an FTP hoi (Users must be assigned an FTP hoi (Users must be assigned an FTP hoi Directory user account.)</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured usin <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor (Users must be assigned an FTP hor Directory user account.)</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured usin <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured usin <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor (Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users         (Users must be assigned an FTP hore intervention in the intervention in</li></ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your F1</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor (Users must be assigned an FTP hor (Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory.</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory.</li> <li>Path:</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path: C:\saman</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path: C:\saman</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor (Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path: C:\saman</li> </ul>	me directory withi me directory that i <u>&lt; B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path: C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> <li>C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> <li>C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> <li>C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Isolate users using Active Directory (Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> <li>C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>N</u> ext > rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hor Users must be assigned an FTP hor Directory user account.)</li> <li>5ite Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. Path:</li> <li>C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured using <u>Next &gt;</u> rectories.	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hot Isolate users using <u>Active Directory</u> (Users must be assigned an FTP hot Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your FT Enter the path to your home directory. <u>Path:</u> C:\saman</li> </ul>	me directory withi me directory that i < <u>B</u> ack	n the root of this F is configured usin <u>N</u> ext >	TP site.) g their Active Cance
<ul> <li>Isolate users (Users must be assigned an FTP hot Isolate users using <u>Active Directory</u> (Users must be assigned an FTP hot Directory user account.)</li> <li>Site Creation Wizard</li> <li>P Site Home Directory The home directory is the root of your F1 Enter the path to your home directory. <u>Path:</u></li> <li>C:\saman</li> </ul>	me directory within me directory that i <u>&lt; B</u> ack	n the root of this F is configured usin <u>N</u> ext >	TP site.) g their Active Cance



حالا FTP سرور ما راه اندازی شد و می توان در اینترنت اکسپلورر آن را طبق شکل زیر اجرا کرد.

🙍 ftp://192.168.2.2/ - Microsoft Internet Explorer					
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites <u>T</u>	ools <u>H</u> elp				
🔇 Back 🔹 🕤 👻 🌮 Search 🌔 Folders 🛛 🎼 🎯 🗙 🎾 🛄 🕶					
Address 👰 ftp://192.168.2.2/				💌 ラ Go 🛛 Links	
Name 🔺	Size	Туре	Modified		
🛃 index.htm	468 bytes	HTML Document	4/29/2011 11:47 PM		
				User: Anonymous	🌍 Internet 🏼 💋

به پایان رسیدیم دفتر حکایت همچنان باقیست.